











 **MADE IN GERMANY**
SINCE 1785.

 **WITTE**

TABLE OF CONTENTS









12 MAXX screwdrivers

Professional screwdrivers at a glance

14	MAXX	
24	MAXX Plus	
30	MAXX VDE	
36	MAXX VDE Slim	
40	MAXX voltage testers	
44	MAXXPRO Stainless	
48	MAXXPRO Nature	
52	MAXXPRO Women Line	






140 MAXX pliers & cutters

Professional pliers & cutters at a glance

142	MAXX heavy-duty telephone engineer's plier	
143	MAXX heavy-duty side-cutter	
144	MAXX heavy-duty combination plier	
146	MAXX VDE heavy-duty telephone eng. plier	
147	MAXX VDE multifunction side-cutter	
148	MAXX VDE heavy-duty side-cutter	
149	MAXX VDE heavy-duty combination plier	
150	MAXX VDE cable shear	

162 MAXX bits

Professional bits at a glance

164	MAXX Impact	
170	MAXX Stainless	
174	MAXX Extra hard	
176	MAXX TIN	
184	MAXX Diamond	


















Overview

of indexes

4	About WITTE
230	Product index
234	Key word index
236	Fastener assignment
239	Profile finder









56 PRO screwdrivers

Universal screwdrivers at a glance

58	PRO	
68	PRO Plus	
72	PRO Impact	
76	PRO VDE	
80	PRO VDE Slim	
84	PRO BITDRIVE	
88	PRO BITDRIVE RATCHET	
92	PRO BITDRIVE TORQUE	
96	PRO BITDRIVE TORQUE VDE	
100	PRO ESD	
104	PRO voltage testers	
108	PRO Nature	
112	PRO T-bar	
116	PRO WITTRON®	
122	PRO WITTRON® VDE	
126	PRO WITTRON® ESD	
132	PRO Allen keys	


152 PRO pliers & cutters

Universal pliers & cutters at a glance

154	PRO radio & telephone engineer's plier	
155	PRO side-cutter	
156	PRO combination plier	
157	PRO water pump plier	
158	PRO VDE radio & telephone eng. plier	
159	PRO VDE combination plier	
160	PRO VDE wire-stripper	
161	PRO VDE side-cutter	

188 PRO bits

Industrial bits at a glance

190	PRO bits	
202	PRO bitholders	
208	BITCOMMANDER The all-rounder	
210	Gift boxes	
214	Soft case sets Just in case	

222 POS displays and accessories

20	Picks & hooks
20	MAXX bottle-opener
50	MAXXPRO cork bottle-opener
63	PRO bottle-opener

The KIRCHHOFF Group.

The KIRCHHOFF Group has its roots in the enterprise founded by Stephan Witte in 1785 for the manufacture of needles and pins in Iserlohn, Germany. Today's KIRCHHOFF Group, owned by the Kirchhoff family for four generations, consists of four divisions: KIRCHHOFF Automotive, KIRCHHOFF Ecorec, KIRCHHOFF Mobility and WITTE Tools. KNOWLEDGE/VALUES/CHANGE. – these are the fundamental principles that are also the motive force behind the rise and further development of the Group. They unite the more than 13,000 employees in the Group in line with our mission statement: WEMOVE.FUTURE.

KIRCHHOFF
GROUP

KIRCHHOFF GROUP



WITTE TOOLS

WITTE Tools continues to be rated as one of Germany's leading manufacturers of premium handtools. The WITTE brand name is a byword for high-grade screwdrivers, bits, pliers and cutters that are supplied worldwide to partners in industry & the trades and specialist distributors.

KIRCHHOFF AUTOMOTIVE

KIRCHHOFF Automotive is a respected development partner of the automotive industry and focuses on complex metal and hybrid structures for bodywork and chassis. We are available worldwide as a full-service supplier.

KIRCHHOFF ECOREC

KIRCHHOFF Ecorec is the European market leader for waste collection vehicles, street sweepers, and lifters. This division was the first manufacturer to produce a fully integrated hybrid waste collection vehicle.

KIRCHHOFF MOBILITY

KIRCHHOFF Mobility is one of the leading suppliers of individual vehicle conversions to enable people with disabilities to be more mobile and independent.

The owners of the KIRCHHOFF Group

(1. to 2.):

Dr. Johannes F. Kirchhoff,
J. Wolfgang Kirchhoff, Arndt G. Kirchhoff



It all started with a needle

Back in 1785, WITTE started manufacturing needles for textile applications, saddlers and shoemakers. Soon, they were supplying customers worldwide. With production standing at 10 million pins and needles per year at the beginning of the 19th century, by the middle of that century, this expanding family concern was manufacturing two million per day with its staff of 1200 and was a leading producer in its field.



The sophisticated art of the screwdriver

As mechanisation threatened to an increasing extent to replace tailors, saddlers and shoemakers, WITTE had already made itself a name as a manufacturer of tools for the nascent automotive and wagon manufacturing industries. During this period, the company developed the product that has continued to form the main basis of its success right up to today: the screwdriver. Since that initial period, WITTE has continuously perfected that tool like no other manufacturer – with the aid of unrelenting innovation, maximum attention to ergonomic design and materials and, of course, peak quality made in Germany.

Quality from Germany.

German engineering skills and craftsmanship have been recognised the world over for many a year. Long before the "Made in Germany" slogan underlined the fact: WITTE was renowned for its core values such as innovation, accuracy and reliability that are central to Germany. These are virtues that we uphold to the same extent as our commitment to Germany as a manufacturing location – both these aspects are indispensable parts of our identity and quality philosophy.



Made in Germany




Tools with tradition.

Witte is located right at the heart of the European tool-producing region: on the edges of the Bergisch Land, which is the region that is famous for the centuries-old tradition of wire processing and tool manufacture and still today a pacesetter in the worldwide tool market. WITTE is dedicated to maintaining that heritage.

PRO

PRO tools by WITTE will make any professional user's heart beat that little bit faster because those tools are, without doubt, among the best the market has to offer. The quality series for daily professional use stands out because of its ergonomically designed handles: the sculpted longitudinal contour optimises contact pressure and promotes strain-free working. The screwdriver handles are made up of three plastic components and ensure excellent grip.



Sophisticated

The central section of the PRO screwdriver handle – the spin zone – is shaped using a well-rounded triangular form. This enables the user to apply optimum force transmission, which reduces the amount of effort required to do the job. Fast screw tightening and unscrewing are facilitated by the extended multifunction zone.

Robust

WITTE PRO bits offer consistently high quality standards due to our state-of-the-art production systems. The complex hardening process guarantees permanent hardness of 59-61 HRC to meet tough requirements in industry and the trades.



High-grade

Additionally induction hardened cutters, ergonomically designed 2-component handles and high-quality materials are notable features of the WITTE PRO series of pliers and cutters.




MAXX

Standard
PRO
MAXX



MAXX tools – the ideal tools for professionals – when the best is just good enough. The design of the MAXX tightening tools and MAXX pliers & cutters is based on the latest research techniques in the field of occupational science, ergonomic design and material science. Shape, hand-picked materials, ergonomic design, workmanship and physics all combine here to make a perfect tool. The result is that, if only minimum force is applied, MAXX tools can transmit the highest possible force more effectively. In any situation.



Forceful

Ergonomics in its purest form is a feature of the MAXX range. The characteristic triangular shape of MAXX screwdriver grips provides not only the ergonomically ideal torque angle of 120°, these are also the only screwdrivers on the market in which the shape of the grip is not merely "zoomed" to produce the various sizes. Each MAXX screwdriver from WITTE boasts the ideal grip size that is specially developed as the correct ergonomic design for optimum force transmission.

Durable

Thoroughly hardened and tempered materials enhance not only the appearance of the tool but also its functionality. At the same time, they guarantee extremely long service lifetimes and ensure user satisfaction while they work. Quality that pays for itself.



Uncompromising

The outstanding craftsmanship used in every detail coupled with the highest grade materials dispels any doubts that, thanks to their specially constructed high-performance joints, S-shaped handles with multicomponent grips and additionally induction hardened cutters, the WITTE MAXX series of pliers and cutters are a byword for perfect ergonomic design, firm-grip materials, optimised force transmission and long service lifetimes.



On the following pages, you will be able to see which family of tools you are currently looking at due to the colour coding: dark blue stands for **MAXX**, cyan for **PRO**.

MAXX

Screwdrivers


PH2x150
Made in Germany



12 Screwdrivers

Professional screwdrivers at a glance

14	MAXX	
24	MAXX Plus	
30	MAXX VDE	
36	MAXX VDE Slim	
40	MAXX voltage testers	
44	MAXXPRO Stainless	
48	MAXXPRO Nature	
52	MAXXPRO Women Line	





Certified by the IGR as an "ergonomic product":

 WITTE MAXXX screwdrivers have been extensively tested by the independent IGR Institute for Health and Ergonomics with regard to usability and ergonomics and have been successfully certified to DIN 32419 / EN ISO 15537.

Permanent blade identification
 Durable marking on the blade ensures fast, accurate choice of the right screwdriver

Multifunction zone
 The extended multifunction zone allows faster screw tightening and unscrewing

Convenient hanging hole
 For best organisation in the workshop


Black tip
 Accurately finished tips provide peak protection against corrosion and guarantee accuracy and correct fit

High-grade steel that is made in Germany
 Hardened and tempered, extremely tough special steel guarantees optimum force transmission and long service lives

Soft component
 Enhance grip and provide better control of the tightening action

Ergonomically shaped triangular form
 Perfect ergonomic design for maximum force transmission


Demanding craftsmen and craftsmen need tools that do not make compromises: **MAXX**. The sculpted longitudinal contour of the ergonomically designed grips allows high axial forces to be applied to the screw without excessive effort. This generates high contact pressure while effectively preventing cam-out. The soft component on the edges of the grip supports a snug fit and helps to generate maximum torque.



Exclusively available from WITTE: four handle sizes and shapes to match each size of screw head. Our grips are not merely "pinch zoomed" for the next size but individually shaped for the correct contour, centre of gravity and form.

The lower the required torque, the more round the grip cross-section to enable faster, accurate turns. The greater the required torque, the larger the grip, so it lies snugly in the hand and guarantees safe, accurate application of force.

- The benefits**
- Tried-and-tested three-sided shape corresponds to the hand's ideal tightening angle (120°)
 - The spin zone made of softer material makes working with the tool faster and more satisfying
 - Matt chrome-plated, permanently marked blades made of hardened and tempered special steel in all profiles
 - Black tips guarantee peak accuracy and correct fit









Round cross-section
 combines maximum grip and easy turning action

Rounded triangular form
 for maximum force transmission

Permanent head marking
 Durable, clearly read marking on the blade ensures fast, accurate choice of the right screwdriver







53100 slotted keystone / engineer's screwdrivers

to DIN 5264 and ISO 2380

ITEM NO.				ITEM NO.			
53101	0,6 x 3,5	75	3,5	53107	1,2 x 6,5	125	6,0
53102	0,6 x 3,5	100	3,5	53108	1,2 x 8,5	150	6,0
53103	0,8 x 4,0	75	4,0	53109	1,2 x 8,0	150	7,0
53104	0,8 x 4,0	100	4,0	53110	1,6 x 8,0	175	7,0
53105	1,0 x 5,5	100	5,0	53111	1,6 x 10,0	200	8,0
53106	1,0 x 5,5	125	5,0				




53010 slotted keystone / engineer's screwdrivers

to DIN 5264 and ISO 2380, hexagonal blade and bolster dimensionally accurate to DIN 475

ITEM NO.				ITEM NO.			
53010	0,8 x 4,0	100	8,0	53014	1,6 x 10,0	200	13,0
53011	1,0 x 5,5	125	8,0	53015	2,0 x 12,0	225	-
53012	1,2 x 6,5	150	10,0	53016	2,5 x 14,0	275	10,0
53013	1,2 x 8,0	175	13,0				







53020 slotted cabinet / electrician's screwdrivers

to DIN 5264 and ISO 2380

ITEM NO.			
53021	0,5 x 3,0	75	3,0
53022	0,6 x 3,5	100	3,5
53023	0,6 x 4,0	300	4,0
53024	0,8 x 4,0	125	4,0
53025	1,0 x 5,5	150	5,5
53026	1,0 x 5,5	200	5,5
53027	1,0 x 5,5	300	5,5






53030 PH screwdrivers

to ISO 8764 for PHILLIPS recess screws

ITEM NO.				ITEM NO.			
53031	PH 0	60	3,0	53036	PH 2	200	6,0
53032	PH 1	80	4,5	53037	PH 2	300	6,0
53034	PH 1	300	4,5	53038	PH 3	150	8,0
53035	PH 2	100	6,0	53039	PH 4	200	10,0
53033	PH 2	150	6,0				






53500 PH screwdrivers

to ISO 8764 for PHILLIPS recess screws, hexagonal blade and bolster dimensionally accurate to DIN 475

ITEM NO.				ITEM NO.		
53501	PH 1	105	8,0	53506	PH 3	130
53502	PH 2	125	10,0			
53503	PH 3	175	13,0			






53040 PZ screwdrivers

to ISO 8764 for POZIDRIV screws






ITEM NO.				ITEM NO.		
53041	PZ 0	80	3,0	53047	PZ 2	300
53042	PZ 1	80	4,5	53048	PZ 3	150
53043	PZ 2	300	4,5	53049	PZ 4	200
53045	PZ 2	100	6,0			

53600 PZ screwdrivers

to ISO 8764 for POZIDRIV screws, hexagonal blade and bolster dimensionally accurate to DIN 475







ITEM NO.				ITEM NO.		
53601	PZ 1	105	8,0	53607	PZ 2	107 x 32
53602	PZ 2	125	10,0	53608	PZ 3	117 x 37
53603	PZ 3	175	13,0	53609	PZ 4	127 x 39

53200 TORX® screwdrivers

ITEM NO.				ITEM NO.		
53201	T5	60	3,0	53208	T20	100
53202	T6	60	3,0	53209	T25	100
53203	T7	60	3,0	53210	T27	115
53204	T8	60	3,0	53211	T30	115
53205	T9	60	3,0	53212	T40	150
53206	T10	80	3,5	53213	T45	150
53207	T15	80	3,5			

53300 TORX® screwdrivers

with central bore, TR tamper-resistant

ITEM NO.									
53303	TR 7	60	3.0	103 x 23	53309	TR 25	100	4.5	107 x 32
53304	TR 8	60	3.0	103 x 23	53310	TR 27	115	6.0	117 x 37
53305	TR 9	60	3.0	103 x 23	53311	TR 30	115	6.0	117 x 37
53306	TR 10	80	3.5	103 x 23	53312	TR 40	115	7.0	117 x 37
53307	TR 15	80	3.5	103 x 23	53313	TR 45	130	8.0	127 x 39
53308	TR 20	100	4.5	107 x 32				8.0	127 x 39



53050 ball-end hex screwdrivers

ITEM NO.				
53051	3.0	100	103 x 23	
53052	4.0	100	103 x 23	
53053	5.0	100	107 x 32	
53054	6.0	125	117 x 37	
53055	8.0	150	127 x 39	






53060 square drive screwdrivers

for Robertson screws

ITEM NO.						
53061	1.0	100		4.5	107 x 32	
53062	2.0	125		6.0	107 x 32	
53063	3.0	150		6.0	117 x 37	





















53070 TRI-WING screwdrivers

ITEM NO.				
53071	TW 2	80	107 x 32	
53072	TW 3	100	107 x 32	
53073	TW 4	100	107 x 32	
53074	TW 5	100	107 x 32	



53400 nutdrivers

ITEM NO.																		
53401	3.5	125	107 x 32	53406	6.0	125	117 x 37	53411	11.0	125	127 x 39							
53402	4.0	125	107 x 32	53407	7.0	125	117 x 37	53412	12.0	125	127 x 39							
53403	4.5	125	107 x 32	53408	8.0	125	117 x 37	53413	13.0	125	127 x 39							
53404	5.0	125	107 x 32	53409	9.0	125	117 x 37	53414	14.0	125	127 x 39							
53405	5.5	125	107 x 32	53410	10.0	125	117 x 37	53415	17.0	125	127 x 39							



53080 nutdrivers

with flexible shank

ITEM NO.													
53081	5.0	210	117 x 37	53084	7.0	210	117 x 37						
53082	5.5	210	117 x 37	53085	8.0	210	117 x 37						
53083	6.0	210	117 x 37	53086	1/4"	210	117 x 37						



53091 bitholder

with 150 mm blade and permanent magnet

ITEM NO.			
53091	1/4"	150	117 x 37



86990 slotted stubby screwdriver

ITEM NO.																
86991	0.8 x 4.5	25	4.5	55 x 29	86993	12 x 8.0	25	8.0	55 x 29							
86992	1.0 x 6.0	25	6.0	55 x 29												



94260 PH stubby screwdriver

to ISO 87/64 for PHILLIPS recess screws

ITEM NO.						
94261	PH 1	25	4.5	55 x 29		
94262	PH 2	25	6.0	55 x 29		



95350 PZ stubby screwdriver

to ISO 8764 for POZIDRIV screws



ITEM NO.	↕	mm	Ø	mm	mm
95351	PZ 1	25	4.5	55 x 29	
95352	PZ 2	25	6.0	55 x 29	



967 bottle-opener



ITEM NO.	↕	mm	mm
967	43	117 x 37	



53622 awl



ITEM NO.	↕	mm	Ø	mm	mm
53622	100	6.0	117 x 37		



53832 square reamer



ITEM NO.	↕	mm	Ø	mm	mm
53832	100	6.0	117 x 37		



691008 set of picks & hooks in a wallet, 4-pcs. set

ITEM NO.	↕	mm	Ø	mm	mm
691008	70	3.5	103 x 23		



6-pcs. set
Order no. 653754

6-pcs. set
Order no. 653832

6-pcs. set
Order no. 653833

ITEM NO.	Drive	mm	ITEM NO.	Drive	mm	ITEM NO.	Drive	mm
53105	●●●	10 x 5,5	53021	●●●	0,8 x 3,0	53021	●●●	0,8 x 3,0
53107	●●●	12 x 6,5	53104	●●●	0,8 x 4,0	53104	●●●	0,8 x 4,0
53032	●●●	PH 1	53106	●●●	1,0 x 6,5	53106	●●●	1,0 x 6,5
53035	●●●	PH 2	53035	●●●	PH 2	53035	●●●	1,2 x 6,5
53045	●●●	PZ 2	53035	●●●	PH 2	53045	●●●	PZ 2

6-pcs. set
Order no. 653864

6-pcs. set
Order no. 653863

6-pcs. set
Order no. 653867

ITEM NO.	Drive	mm	ITEM NO.	Drive	mm	ITEM NO.	Drive	mm
53103	●●●	0,8 x 4,0	53103	●●●	0,8 x 4,0	53010	●●●	0,8 x 4,0
53105	●●●	10 x 5,5	53105	●●●	10 x 5,5	53011	●●●	10 x 5,5
53107	●●●	1,2 x 6,5	53107	●●●	1,2 x 6,5	53012	●●●	1,2 x 6,5
53109	●●●	1,2 x 8,0	53109	●●●	1,2 x 8,0	53013	●●●	1,2 x 8,0
53032	●●●	PH 1	53042	●●●	PH 1	53013	●●●	PH 1
53035	●●●	PH 2	53045	●●●	PZ 2	53012	●●●	PH 2

6-pcs. set
Order no. 653868

6-pcs. set
Order no. 653980

6-pcs. set
Order no. 653926

ITEM NO.	Drive	mm	ITEM NO.	Drive	mm	ITEM NO.	Drive	mm
53010	●●●	0,8 x 4,0	53206	●●●	T10	53010	●●●	TR 10
53011	●●●	10 x 5,5	53207	●●●	T15	53307	●●●	TR 15
53012	●●●	1,2 x 6,5	53208	●●●	T20	53308	●●●	TR 20
53013	●●●	1,2 x 8,0	53209	●●●	T25	53309	●●●	TR 25
53801	●●●	PZ 1	53211	●●●	T30	53311	●●●	TR 30
53802	●●●	PZ 2	53212	●●●	T40	53312	●●●	TR 40

5-pcs. set
Order no. 653865

5-pcs. set
Order no. 653866

ITEM NO.	Drive	mm	ITEM NO.	Drive	mm
53103	●●●	0,8 x 4,0	53103	●●●	0,8 x 4,0
53105	●●●	10 x 5,5	53105	●●●	10 x 5,5
53107	●●●	1,2 x 6,5	53107	●●●	1,2 x 6,5
53032	●●●	PH 1	53042	●●●	PZ 1
53035	●●●	PH 2	53045	●●●	PZ 2

ITEM NO.	Drive	mm	ITEM NO.	Drive	mm
53103	●●●	0,8 x 4,0	53103	●●●	0,8 x 4,0
53105	●●●	10 x 5,5	53105	●●●	10 x 5,5
53107	●●●	1,2 x 6,5	53107	●●●	1,2 x 6,5
53042	●●●	PZ 1	53042	●●●	PZ 1
53045	●●●	PZ 2	53045	●●●	PZ 2




— Market-oriented tool sets
Exactly what customers want. Compiled through many years' observation of practical applications.

MAXX Plus



Certified as ergonomic.
Tested by the independent
IGR Institute for Health and
Ergonomics











Whenever work is required in moist or oily environments, the quality of the tools really counts. And that applies particularly to tightening tools that offer a firm grip in tough conditions, protect the worker's hands against slipping off and transfer force in the most efficient way.

MAXX Plus screwdrivers are designed to excel in these conditions – from the microfibre coating and firm-grip soft handle components to effective protection against rolling.

63100 slotted keystone / engineer's screwdrivers






to DIN 5264 and ISO 2380

ITEM NO.					ITEM NO.				
63101	0,6 x 3,5	75	3,5	103 x 23	63107	1,2 x 6,5	125	6,0	117 x 37
63102	0,6 x 3,5	100	3,5	103 x 23	63108	1,2 x 6,5	150	6,0	117 x 37
63103	0,8 x 4,0	75	4,0	103 x 23	63109	1,2 x 8,0	150	7,0	127 x 39
63104	0,8 x 4,0	100	4,0	103 x 23	63110	1,6 x 8,0	175	7,0	127 x 39
63105	1,0 x 5,5	100	5,0	107 x 32	63111	1,6 x 10,0	200	8,0	127 x 39
63106	1,0 x 5,5	125	5,0	107 x 32	63115	2,0 x 12,0	225	10,0	127 x 39



63010 slotted keystone / engineer's screwdrivers









to DIN 5264 and ISO 2380, hexagonal blade and bolster dimensionally accurate to DIN 475

ITEM NO.					ITEM NO.	
63011	1,0 x 5,5	125	8,0	5,0	107 x 32	63017
63012	1,2 x 6,5	150	10,0	6,0	117 x 37	63022
63013	1,2 x 8,0	175	13,0	8,0	127 x 39	63025
63014	1,6 x 10,0	200	13,0	8,0	127 x 39	63026
63015	2,0 x 12,0	225	10,0	10,0	127 x 39	63027



63020 slotted cabinet / electrician's screwdrivers









to DIN 5264 and ISO 2380

ITEM NO.					ITEM NO.				
63021	0,5 x 3,0	75	3,0	103 x 23	63025	1,0 x 5,5	150	5,5	107 x 32
63022	0,6 x 3,5	100	3,5	103 x 23	63026	1,0 x 5,5	200	5,5	107 x 32
63023	0,6 x 4,0	300	4,0	103 x 23	63027	1,0 x 5,5	300	5,5	107 x 32
63024	0,8 x 4,0	125	4,0	103 x 23					



63030 PH screwdrivers

to ISO 8764 for PHILLIPS recess screws

ITEM NO.					ITEM NO.				
63031	PH 0	60	3,0	103 x 23	63037	PH 2	300	6,0	117 x 37
63032	PH 1	80	4,5	107 x 32	63038	PH 3	150	8,0	127 x 39
63034	PH 1	300	4,5	107 x 32	63039	PH 4	200	10,0	127 x 39
63035	PH 2	100	6,0	117 x 37					



63500 PH screwdrivers

to ISO 8764 for PHILLIPS recess screws, hexagonal blade and bolster dimensionally accurate to DIN 475

ITEM NO.					ITEM NO.	
63501	PH 1	105	8,0	5,0	107 x 32	63507
63502	PH 2	125	10,0	6,0	117 x 37	63508
63503	PH 3	175	13,0	8,0	127 x 39	63509



63040 PZ screwdrivers






to ISO 8764 for POZIDRIV screws

ITEM NO.					ITEM NO.				
63041	PZ 0	60	3,0	103 x 23	63047	PZ 2	300	6,0	117 x 37
63042	PZ 1	80	4,5	107 x 32	63048	PZ 3	150	8,0	127 x 39
63043	PZ 2	300	4,5	107 x 32	63049	PZ 4	200	10,0	127 x 39
63045	PZ 2	100	6,0	117 x 37					











63600 PZ screwdrivers

to ISO 8764 for POZIDRIV screws, hexagonal blade and bolster dimensionally accurate to DIN 475

ITEM NO.					ITEM NO.	
63601	PZ 1	105	8,0	5,0	107 x 32	63607
63602	PZ 2	125	10,0	6,0	117 x 37	63608
63603	PZ 3	175	13,0	8,0	127 x 39	63609



63200 TORX® screwdrivers

ITEM NO.					ITEM NO.				
63201	T 5	60	3,0	103 x 23	63208	T 20	100	4,5	107 x 32
63202	T 6	60	3,0	103 x 23	63209	T 25	100	4,5	107 x 32
63203	T 7	60	3,0	103 x 23	63210	T 27	115	6,0	117 x 37
63204	T 8	60	3,0	103 x 23	63211	T 30	115	6,0	117 x 37
63205	T 9	60	3,0	103 x 23	63212	T 40	115	7,0	127 x 39
63206	T 10	60	3,5	103 x 23	63213	T 45	130	8,0	127 x 39
63207	T 15	60	5,5	103 x 23					




MAXX

VDE









Certified as ergonomic.
Tested by the independent
IGR Institute for Health and
Ergonomics



Best grip and outstanding ergonomic design guarantee excellent force transmission. Together with first-rate tips, this adds up to peak accuracy at the point of contact with the screw – even at voltages up to 1000 volts, because every individual screwdriver is tested in a dip-tank up to 10,000 volts in accordance with VDE requirements.

53700 slotted screwdrivers







to ISO 2380

ITEM NO.				ITEM NO.			
53701	0,4 x 2,5	75	2,5	53705	1,0 x 5,5	125	5,5
53702	0,5 x 3,0	100	3,0	53706	1,2 x 8,5	150	6,5
53703	0,6 x 3,5	100	3,5	53707	1,2 x 8,0	175	8,0
53704	0,8 x 4,0	100	4,0	53708	1,6 x 10,0	200	10,0



53710 PH screwdrivers

tip to ISO 8764 for PHLLIPS recess screws

ITEM NO.				ITEM NO.			
53710	PH 0	60	3,0	53713	PH 3	150	8,0
53711	PH 1	80	4,5	53714	PH 4	200	10,0
53712	PH 2	100	6,0				



53740 MODUL PH screwdrivers

for +/- screws in electrical installations

ITEM NO.				ITEM NO.			
53741	PH 1 / MODUL	80	4,5	53742	PH 2 / MODUL	100	6,0



53720 PZ screwdrivers

tip to ISO 8764 for POZIDRIV screws

ITEM NO.				ITEM NO.			
53720	PZ 0	60	3,0	53723	PZ 3	150	8,0
53721	PZ 1	80	4,5	53724	PZ 4	200	10,0
53722	PZ 2	100	6,0				



53760 MODUL PZ screwdrivers

for +/- screws in electrical installations

ITEM NO.				ITEM NO.			
53761	PZ 1 / MODUL	80	4,5				
53762	PZ 2 / MODUL	100	6,0				



53730 TORX® screwdrivers

ITEM NO.				ITEM NO.			
53731	T 10	60	3,0	53735	T 30	100	6,0
53732	T 15	75	3,5	53736	T 40	150	8,0
53733	T 20	100	4,0	53737	T 45	150	8,0
53734	T 25	100	4,5				



53750 nutdrivers

ITEM NO.				ITEM NO.			
53750	6	125	5,0	53754	10	125	6,0
53751	7	125	6,0	53755	11	125	6,0
53752	8	125	6,0	53756	12	125	6,0
53753	9	125	6,0	53757	13	125	6,0



54810 Square drive screwdrivers

for Robertson screws

ITEM NO.				ITEM NO.			
54811	1	80	4,5				
54812	2	100	6,0				



Sets of screwdrivers

6-pcs. set

Order no. 653742

ITEM NO.	Drive	mm	ITEM NO.	Drive	mm
53701	●●●●●	0,4 x 2,5	53701	●●●●●	0,4 x 2,5
53704	●●●●●	0,8 x 4,0	53704	●●●●●	0,8 x 4,0
53705	●●●●●	1,0 x 5,5	53705	●●●●●	1,0 x 5,5
53708	●●●●●	1,2 x 8,0	53708	●●●●●	1,2 x 8,0
53711	⊕	PH 1	53711	⊕	PH 1
53712	⊕	PH 2	53722	⊕	PZ 2

6-pcs. set

Order no. 653749


5-pcs. set

Order no. 653741

ITEM NO.	Drive	mm	ITEM NO.	Drive	mm
53701	●●●●●	0,4 x 2,5	53701	●●●●●	0,4 x 2,5
53704	●●●●●	0,8 x 4,0	53704	●●●●●	0,8 x 4,0
53705	●●●●●	1,0 x 5,5	53705	●●●●●	1,0 x 5,5
53711	⊕	PH 1	53721	⊕	PZ 1
53712	⊕	PH 2	53722	⊕	PZ 2

5-pcs. set

Order no. 653744




MAXX

VDE Slim



Certified as ergonomic.
Tested by the independent
IGR Institute for Health and
Ergonomics



WITTE's Slim screwdriver variants are designed for use in awkward spots. The reduced shank diameter, coupled with the insulation that tapers down to blend seamlessly with the slim-line tip, ensures maximum access to screws that are often almost impossible to reach. By using the MAXX VDE slim tools, recessed screws and springs in live components can easily and safely be operated.

53900 slotted screwdrivers to ISO 2380

ITEM NO.				ITEM NO.			
53903	0,6 x 3,5	100	3,5	53905	1,0 x 3,7	125	5,5
53904	0,8 x 4,0	100	4,0	53906	1,0 x 5,5	125	6,5
53909	0,8 x 4,5	175	4,5		1,2 x 6,5	150	
							107 x 37



53970 Square drive screwdrivers for Robertson screws

ITEM NO.			
53971	1,0	100	4,5
53972	2,0	125	5,0
			107 x 32







53910 PH screwdrivers tip to ISO 8764 for PHLLIPS recess screws

ITEM NO.				
53911	PH1	PH2	90	4,5
53912			100	6,0
				107 x 32
				117 x 37







53940 MODUL PH screwdrivers for +/- screws in electrical installations

ITEM NO.				
53941	PH1/1/1/1/1/1	PH2/1/1/1/1/1	90	4,5
53942			100	6,0
				107 x 32
				117 x 37







53920 PZ screwdrivers tip to ISO 8764 for POZIDRIV screws

ITEM NO.				
53921	PZ1	PZ2	90	4,5
53922			100	6,0
				107 x 32
				117 x 37















53760 MODUL PZ screwdrivers for +/- screws in electrical installations

ITEM NO.				
53961	PZ1/1/1/1/1/1	PZ2/1/1/1/1/1	90	4,5
53962			100	6,0
				107 x 32
				117 x 37



Sets of screwdrivers

5-pcs. set
Order no. 653771

ITEM NO.	Drive		ITEM NO.	Drive	
53903		0,6 x 3,5	53903		0,6 x 3,5
53904		0,8 x 4,0	53904		0,8 x 4,0
53905		1,0 x 5,5	53905		1,0 x 5,5
53911		PH 1	53921		PZ 1
53912		PH 2	53922		PZ 2

5-pcs. set
Order no. 653772

6-pcs. set
Order no. 653773

ITEM NO.	Drive		ITEM NO.	Drive	
53903		0,6 x 3,5	53701		0,4 x 2,5
53904		0,8 x 4,0	53904		0,8 x 4,0
53905		1,0 x 5,5	53906		1,2 x 6,5
53906		1,2 x 6,5	53971		1,0
53911		PH 1	53972		2,0
53912		PH 2	53911		PH 1
			53912		PH 2


7-pcs. set
Order no. 653774





MAXX

voltage tester



MAXX voltage tester – safety first. The smooth handle, as transparent as glass, allows an unhindered view of the glowing lamp inside the handle from any position. For maximum safety. The voltage tester has been manufactured in accordance with the current DIN standard and tested to VDE/GS (German label for tested safety) for work on live components from 150-250 volts.

24090 voltage tester

tested to VDE 0680 Part 6

150-250 volts



ITEM NO.

mm

mm

mm

mm

24090

3.0

65

88 x 21

153






MAXXPRO

Stainless



Certified as ergonomic.
Tested by the independent
IGR Institute for Health and
Ergonomics



Hardened and tempered,
extremely tough special stainless
steel guarantees optimum force
transmission, long service lives
and prevents extraneous rust
when tightening stainless steel
screws. Precise fit for perfect
force transmission.

Use of high-grade stainless steel is of
particular relevance in connection with
stainless steel fastening jobs. This is the only
way to prevent extraneous rust and pitting
corrosion which occur if conventional steel
screwdrivers are used. This is where quality
comes first.

73020 slotted screwdrivers

to DIN 5264 and ISO 2380






ITEM NO.			
73021	0,5 x 3,0	75	103 x 23
73023	0,8 x 4,0	100	103 x 23
73024	1,0 x 5,5	125	107 x 32
73025	1,2 x 6,5	150	117 x 37

73030 PH screwdrivers

to ISO 8764 for PHILLIPS recess screws






ITEM NO.			
73032	PH1	80	107 x 32
73035	PH2	100	117 x 37
73038	PH3	150	117 x 37

73040 PZ screwdrivers




to ISO 8764 for POZIDRIV screws



ITEM NO.			
73042	PZ1	80	107 x 32
73045	PZ2	100	117 x 37
73048	PZ3	150	117 x 37

73200 TORX® screwdrivers



ITEM NO.			
73206	T10	80	103 x 23
73207	T15	80	103 x 23
73208	T20	100	107 x 32
73209	T25	100	107 x 32
73211	T30	115	117 x 37
73212	T40	115	117 x 37

Sets of screwdrivers

6-pcs. set



















Order no. 670007

6-pcs. set

Order no. 670006

6-pcs. set

Order no. 670008













ITEM NO.	Drive		ITEM NO.	Drive		ITEM NO.	Drive	
73021		75	73021		75	73206		80
73023		100	73023		100	73207		80
73024		125	73024		125	73208		100
73025		150	73025		150	73209		100
73035		100	73045		100	73212		115

5-pcs. set

Order no. 670002

5-pcs. set

Order no. 670001

ITEM NO.	Drive		ITEM NO.	Drive	
73021		75	73021		75
73023		100	73023		100
73024		125	73024		125
73032		80	73042		80
73035		100	73045		100






MAXXPRO

Nature





Certified as ergonomic.
Tested by the independent
IGR Institute for Health and
Ergonomics



Natural, kind to the skin and non-slip:
moisture-absorbent cork components in the
grip give the MAXXPRO tools a satisfying
feel and good tactile feedback. In conjunction
with excellent ergonomic design, they ensure
first-class force transmission.

54100 slotted keystone / engineer's screwdrivers



to DIN 5264 and ISO 2380

ITEM NO.			\varnothing	
54103	0,8 x 4,0	75	4,0	107 x 32
54105	1,0 x 5,5	100	5,0	107 x 32
54107	1,2 x 6,5	125	6,0	117 x 37



54030 PH screwdrivers

to ISO 8764 for PHILLIPS recess screws

ITEM NO.	\oplus		\varnothing	
54032	PH 1	80	4,5	107 x 32
54035	PH 2	100	6,0	117 x 37



54040 PZ screwdrivers

to ISO 8764 for POZIDRIV screws

ITEM NO.	\oplus		\varnothing	
54042	PZ 1	80	4,5	107 x 32
54045	PZ 2	100	6,0	117 x 37



969 bottle-opener





ITEM NO.	
969	117 x 37

Sets of screwdrivers

in environmentally friendly carton

5-pcs. set
Order no. 654865

5-pcs. set
Order no. 654866

ITEM NO.	Drive	\varnothing		ITEM NO.	Drive	\varnothing	
54103	\ominus	0,8 x 4,0	75	54103	\ominus	0,8 x 4,0	75
54105	\ominus	1,0 x 5,5	100	54105	\ominus	1,0 x 5,5	100
54107	\ominus	1,2 x 6,5	125	54107	\ominus	1,2 x 6,5	125
54032	\oplus	PH 1	80	54042	\oplus	PZ 1	80
54035	\oplus	PH 2	100	54045	\oplus	PZ 2	100




MAXXPRO

Women Line



Certified as ergonomic.
Tested by the independent
IGR Institute for Health and
Ergonomics



WITTE WOMEN LINE, the ideal starter set for craftswomen. Our tried-and-tested quality that is 100% made in Germany.

The four-piece set in the striking, transparent campaign packaging appeals to professional craftswomen with its attractive colouring and optimised handle sizes. In addition, the triangular shaped grips typical of WITTE ensure improved force application and secure grip in the palm of the hand.

654005 WOMEN LINE screwdriver set

4-pcs. set

Order no. 654005



Drive	1,2 x 6,5	125
	PH 1	80
	PZ 2	100
	Voltage tester SB 3.0 x 65	65



Transparent sliding box
Allows you to see the tools inside.



PRO

Screwdrivers




56 Screwdrivers

Universal screwdrivers at a glance

58	PRO	
68	PRO Plus	
72	PRO Impact	
76	PRO VDE	
80	PRO VDE Slim	
84	PRO BITDRIVE®	
88	PRO BITDRIVE® RATCHET	
92	PRO BITDRIVE® TORQUE	
96	PRO BITDRIVE® TORQUE VDE	
100	PRO ESD	
104	PRO voltage testers	
108	PRO Nature	
112	PRO T-bar	
116	PRO WITTRON®	
122	PRO WITTRON® VDE	
126	PRO WITTRON® ESD	
132	PRO Allen keys	

PRO



Permanent blade identification
Durable marking on the blade ensures fast, accurate choice of the right screwdriver

Multifunction zone
Particularly long lower grip zone. For safety when executing fast tightening actions


Soft component
Enhanced grip and better control of the tightening action

Black tips
Accurately finished tips provide peak protection against corrosion and guarantee accuracy and correct fit

High-grade steel made in Germany
Hardened and tempered, extremely tough special steel guarantees optimum force transmission and long service lives

In daily work environments, the **PRO** quality series of tools prove their worth over and over again. In particular due to their ergonomic handle shape in conjunction with hardened and tempered special steel. The seamless combination of hard and soft grip materials enhances force transmission, makes handling the tool more satisfactory and reduces strain.


Upper grip zone enables force to be applied more effectively. **The round cross-section** in the central section combines firm grip with easier turning in the spin zone. **The extended multifunction zone** in the lower grip zone promotes faster tightening and loosening action. The three grip zones combine to form a sculpted longitudinal contour and to optimise contact pressure.



SPEED TORQUE














The comparison in the illustration shows that the handle sizes of the WITTE Pro series of screwdrivers are perfectly matched to the fastener sizes.

- The advantages**
- Optimised force transmission and less work effort due to ergonomically designed handles
 - Matt chrome-plated, permanently marked blades made of hardened and tempered special steel in all profiles
 - Black tips guarantee peak accuracy and correct fit
 - Long-term satisfaction with your tools thanks to premium quality made in Germany



87200 slotted keystone / engineer's screwdrivers












to DIN 5264 and ISO 2380

ITEM NO.				ITEM NO.					
87201	0,6 x 3,5	75	3,5	87207	1,2 x 6,5	125	6,0	115 x 34	
87202	0,6 x 3,5	100	3,5	87208	1,2 x 6,5	150	6,0	115 x 34	
87203	0,8 x 4,0	75	4,0	87209	1,2 x 8,0	150	7,0	125 x 37	
87204	0,8 x 4,0	100	4,0	87210	1,6 x 8,0	175	7,0	125 x 37	
87205	1,0 x 5,5	100	5,0	87211	1,6 x 10,0	200	8,0	125 x 37	
87206	1,0 x 5,5	125	5,0						



86790 slotted cabinet / electrician's screwdrivers













to DIN 5264 and ISO 2380

ITEM NO.				ITEM NO.					
86791	0,5 x 3,0	75	3,0	86795	1,0 x 5,5	150	5,5	115 x 34	
86792	0,6 x 3,5	100	3,5	86796	1,0 x 5,5	200	5,5	115 x 34	
86793	0,8 x 4,0	125	4,0	86797	1,0 x 5,5	300	5,5	115 x 34	
86794	0,6 x 4,0	300	4,0						



94800 PH screwdrivers












to ISO 8764 for PHILLIPS recess screws

ITEM NO.				ITEM NO.					
94801	PH 0	60	3,0	94809	PH 2	200	6,0	115 x 34	
94802	PH 1	80	4,5	94805	PH 2	300	6,0	115 x 34	
94803	PH 1	30	4,5	94806	PH 3	150	8,0	125 x 37	
94804	PH 2	100	6,0	94807	PH 4	200	10,0	125 x 37	
94808	PH 2	150	6,0						














99600 PZ screwdrivers

to ISO 8764 for POZIDRIV screws

ITEM NO.				ITEM NO.					
99601	PZ 0	60	3,0	99605	PZ 2	300	6,0	115 x 34	
99602	PZ 1	80	4,5	99606	PZ 3	150	8,0	125 x 37	
99603	PZ 1	300	4,5	99607	PZ 4	200	10,0	125 x 37	
99604	PZ 2	100	6,0						















98900 TORX® screwdrivers

ITEM NO.				ITEM NO.					
98901	T 5	60	3,0	98908	T 20	100	4,5	105 x 25	
98902	T 6	60	3,0	98909	T 25	100	4,5	105 x 25	
98903	T 7	60	3,0	98910	T 27	115	6,0	115 x 34	
98904	T 8	60	3,0	98911	T 30	115	6,0	115 x 34	
98905	T 9	60	3,0	98912	T 40	115	7,0	125 x 37	
98906	T 10	80	3,5	98913	T 45	130	8,0	125 x 37	
98907	T 15	80	3,5						



99300 TORX® screwdrivers









with central bore, tamper resistant

ITEM NO.				ITEM NO.					
99303	TR 7	60	3,0	99309	TR 25	100	4,5	105 x 25	
99304	TR 8	60	3,0	99310	TR 27	115	6,0	115 x 34	
99305	TR 9	60	3,0	99311	TR 30	115	6,0	115 x 34	
99306	TR 10	80	3,5	99312	TR 40	115	7,0	125 x 37	
99307	TR 15	80	3,5	99313	TR 45	130	8,0	125 x 37	
99308	TR 20	100	4,5						











93000 Square drive screwdrivers

for Robertson screws

ITEM NO.				ITEM NO.					
93001	1,0	100	4,5	105 x 25					
93002	2,0	125	5,0	115 x 34					
93003	3,0	150	6,0	115 x 34					



98700 nutdrivers

ITEM NO.				ITEM NO.					
98701	3,5	125	105 x 25	98709	9,0	125	115 x 34		
98702	4,0	125	105 x 25	98710	10,0	125	115 x 34		
98703	4,5	125	105 x 25	98711	11,0	125	125 x 37		
98704	5,0	125	105 x 25	98712	12,0	125	125 x 37		
98705	5,5	125	105 x 25	98713	13,0	125	125 x 37		
98706	6,0	125	115 x 34	98714	14,0	125	125 x 37		
98707	7,0	125	115 x 34	98715	17,0	125	125 x 37		
98708	8,0	125	115 x 34						



98800 nutdrivers

with flexible shank



ITEM NO.	5.0	5.5	6.0	7.0	ITEM NO.	8.0	10.0	1/4"
98801	210	210	210	210	98805	210	210	210
98802	210	210	210	210	98806	115 x 34	115 x 34	115 x 34
98803	210	210	210	210	98807	1/4"	1/4"	1/4"
98804	210	210	210	210		115 x 34	115 x 34	115 x 34

26375 bitholder

with 150 mm blade and permanent magnet



ITEM NO.	1/4"	150	115 x 34
26375			

87230 slotted stubby screwdriver



ITEM NO.	0.8 x 4.5	1.0 x 6.0	1.2 x 8.0	25	25	25	4.5	6.0	8.0	55 x 25	55 x 25	55 x 25
87231												
87232												
87233												

94350 PH stubby screwdriver

to ISO 8764 for PHILLIPS recess screws



ITEM NO.	PH1	PH2	25	25	4.5	6.0	55 x 25	55 x 25
94351								
94352								

95190 PZ stubby screwdriver

to ISO 8764 for POZIDRIV screws



ITEM NO.	PZ1	PZ2	25	25	4.5	6.0	55 x 25	55 x 25
95191								
95192								

970 bottle-opener



ITEM NO.	115 x 34
970	

92542 awl



ITEM NO.	100	6.0	115 x 34
92542			

92551 square reamer



ITEM NO.	100	6.0	115 x 34
92551			

Sets of screwdrivers

6-pcs. set
Order no. 670030

ITEM NO.	Drive	mm	ITEM NO.	Drive	mm	ITEM NO.	Drive	mm	ITEM NO.	Drive	mm
87205	●●●	10 x 5,5	88791	●●●	0,5 x 3,0	88791	●●●	0,5 x 3,0	88791	●●●	0,5 x 3,0
87207	●●●	12 x 6,5	87204	●●●	0,8 x 4,0	87204	●●●	0,8 x 4,0	87204	●●●	0,8 x 4,0
94802	●●●	PH1	87206	●●●	1,0 x 5,5	87206	●●●	1,0 x 5,5	87206	●●●	1,0 x 5,5
94804	●●●	PZ1	94808	●●●	1,2 x 6,5	94808	●●●	1,2 x 6,5	94808	●●●	1,2 x 6,5
94802	●●●	PZ2	94802	●●●	PH2	94802	●●●	PH2	94802	●●●	PZ2
94804	●●●	PZ2	94804	●●●	PH2	94804	●●●	PH2	94804	●●●	PZ2

6-pcs. set
Order no. 670031

ITEM NO.	Drive	mm	ITEM NO.	Drive	mm	ITEM NO.	Drive	mm	ITEM NO.	Drive	mm
87205	●●●	10 x 5,5	87203	●●●	0,8 x 4,0	98906	●●●	T10	87203	●●●	0,8 x 4,0
87207	●●●	12 x 6,5	87205	●●●	1,0 x 5,5	98907	●●●	T15	87205	●●●	1,0 x 5,5
94802	●●●	PH1	87207	●●●	1,2 x 6,5	98908	●●●	T20	87207	●●●	1,2 x 6,5
94804	●●●	PZ1	87209	●●●	1,2 x 8,0	98909	●●●	T25	87209	●●●	1,2 x 8,0
94802	●●●	PZ2	94802	●●●	PH1	94802	●●●	T30	94802	●●●	PH1
94804	●●●	PZ2	94804	●●●	PH2	94804	●●●	T40	94804	●●●	PH2

6-pcs. set
Order no. 670032

ITEM NO.	Drive	mm	ITEM NO.	Drive	mm	ITEM NO.	Drive	mm	ITEM NO.	Drive	mm
87205	●●●	10 x 5,5	87203	●●●	0,8 x 4,0	98912	●●●	T40	87203	●●●	0,8 x 4,0
87207	●●●	12 x 6,5	87205	●●●	1,0 x 5,5	98907	●●●	T15	87205	●●●	1,0 x 5,5
94802	●●●	PH1	87207	●●●	1,2 x 6,5	98908	●●●	T20	87207	●●●	1,2 x 6,5
94804	●●●	PZ1	87209	●●●	1,2 x 8,0	98909	●●●	T25	87209	●●●	1,2 x 8,0
94802	●●●	PZ2	94802	●●●	PH1	94802	●●●	T30	94802	●●●	PH1
94804	●●●	PZ2	94804	●●●	PH2	94804	●●●	T40	94804	●●●	PH2

6-pcs. set
Order no. 670033

ITEM NO.	Drive	mm	ITEM NO.	Drive	mm	ITEM NO.	Drive	mm	ITEM NO.	Drive	mm
87203	●●●	0,8 x 4,0	87203	●●●	0,8 x 4,0	98906	●●●	T10	87203	●●●	0,8 x 4,0
87205	●●●	1,0 x 5,5	87205	●●●	1,0 x 5,5	98907	●●●	T15	87205	●●●	1,0 x 5,5
87207	●●●	1,2 x 6,5	87207	●●●	1,2 x 6,5	98908	●●●	T20	87207	●●●	1,2 x 6,5
87209	●●●	1,2 x 8,0	87209	●●●	1,2 x 8,0	98909	●●●	T25	87209	●●●	1,2 x 8,0
94802	●●●	PH1	94802	●●●	PZ1	94802	●●●	T30	94802	●●●	PH1
94804	●●●	PH2	94804	●●●	PZ2	94804	●●●	T40	94804	●●●	PH2

6-pcs. set
Order no. 670034

ITEM NO.	Drive	mm	ITEM NO.	Drive	mm	ITEM NO.	Drive	mm	ITEM NO.	Drive	mm
87203	●●●	0,8 x 4,0	87203	●●●	0,8 x 4,0	98906	●●●	T10	87203	●●●	0,8 x 4,0
87205	●●●	1,0 x 5,5	87205	●●●	1,0 x 5,5	98907	●●●	T15	87205	●●●	1,0 x 5,5
87207	●●●	1,2 x 6,5	87207	●●●	1,2 x 6,5	98908	●●●	T20	87207	●●●	1,2 x 6,5
87209	●●●	1,2 x 8,0	87209	●●●	1,2 x 8,0	98909	●●●	T25	87209	●●●	1,2 x 8,0
94802	●●●	PH1	94802	●●●	PZ1	94802	●●●	T30	94802	●●●	PH1
94804	●●●	PH2	94804	●●●	PZ2	94804	●●●	T40	94804	●●●	PH2

6-pcs. set
Order no. 670037

ITEM NO.	Drive	mm	ITEM NO.	Drive	mm	ITEM NO.	Drive	mm	ITEM NO.	Drive	mm
87203	●●●	0,8 x 4,0	87203	●●●	0,8 x 4,0	98912	●●●	T40	87203	●●●	0,8 x 4,0
87205	●●●	1,0 x 5,5	87205	●●●	1,0 x 5,5	98907	●●●	T15	87205	●●●	1,0 x 5,5
87207	●●●	1,2 x 6,5	87207	●●●	1,2 x 6,5	98908	●●●	T20	87207	●●●	1,2 x 6,5
87209	●●●	1,2 x 8,0	87209	●●●	1,2 x 8,0	98909	●●●	T25	87209	●●●	1,2 x 8,0
94802	●●●	PH1	94802	●●●	PZ1	94802	●●●	T30	94802	●●●	PH1
94804	●●●	PH2	94804	●●●	PZ2	94804	●●●	T40	94804	●●●	PH2

6-pcs. set
Order no. 670038

ITEM NO.	Drive	mm	ITEM NO.	Drive	mm	ITEM NO.	Drive	mm	ITEM NO.	Drive	mm
99306	●●●	TR 10	87203	●●●	0,8 x 4,0	87203	●●●	0,8 x 4,0	87203	●●●	0,8 x 4,0
99307	●●●	TR 15	87205	●●●	1,0 x 5,5	87205	●●●	1,0 x 5,5	87205	●●●	1,0 x 5,5
99308	●●●	TR 20	87207	●●●	1,2 x 6,5	87207	●●●	1,2 x 6,5	87207	●●●	1,2 x 6,5
99309	●●●	TR 25	87209	●●●	1,2 x 8,0	94802	●●●	PH1	94802	●●●	PZ1
99311	●●●	TR 30	94804	●●●	PH2	94804	●●●	PH2	94804	●●●	PZ2
99312	●●●	TR 40	94804	●●●	PH2	94804	●●●	PH2	94804	●●●	PZ2

5-pcs. set
Order no. 670039

ITEM NO.	Drive	mm	ITEM NO.	Drive	mm	ITEM NO.	Drive	mm	ITEM NO.	Drive	mm
87203	●●●	0,8 x 4,0	87203	●●●	0,8 x 4,0	87203	●●●	0,8 x 4,0	87203	●●●	0,8 x 4,0
87205	●●●	1,0 x 5,5	87205	●●●	1,0 x 5,5	87205	●●●	1,0 x 5,5	87205	●●●	1,0 x 5,5
87207	●●●	1,2 x 6,5	87207	●●●	1,2 x 6,5	87207	●●●	1,2 x 6,5	87207	●●●	1,2 x 6,5
94802	●●●	PH1	94802	●●●	PH1	94802	●●●	PH1	94802	●●●	PH1
94804	●●●	PH2	94804	●●●	PH2	94804	●●●	PH2	94804	●●●	PH2

5-pcs. set
Order no. 670040


ITEM NO.	Drive	mm	ITEM NO.	Drive	mm	ITEM NO.	Drive	mm	ITEM NO.	Drive	mm
87203	●●●	0,8 x 4,0	87203	●●●	0,8 x 4,0	87203	●●●	0,8 x 4,0	87203	●●●	0,8 x 4,0
87205	●●●	1,0 x 5,5	87205	●●●	1,0 x 5,5	87205	●●●	1,0 x 5,5	87205	●●●	1,0 x 5,5
87207	●●●	1,2 x 6,5	87207	●●●	1,2 x 6,5	87207	●●●	1,2 x 6,5	87207	●●●	1,2 x 6,5
94802	●●●	PH1	94802	●●●	PH1	94802	●●●	PH1	94802	●●●	PH1
94804	●●●	PH2	94804	●●●	PH2	94804	●●●	PH2	94804	●●●	PH2



Market-oriented tool sets
Exactly what customers
want. Compiled through
many years' observation of
practical applications.



PRO Plus















Unbeatable force transmission and efficacy with the PRO series: perfected ergonomic design and generously dimensioned, firm-grip microfibre surface guarantee particularly good force transmission. The innovative multifunction zone complements this by ensuring greater efficiency as you work.



87300 slotted keystone / engineer's screwdrivers











to DIN 5264 and ISO 2380

ITEM NO.				ITEM NO.					
87303	0.8 x 4.0	75	4.0	87308	1.2 x 6.5	150	6.0	115 x 34	
87304	0.8 x 4.0	100	4.0	87309	1.2 x 8.0	150	7.0	125 x 37	
87305	1.0 x 5.5	100	5.0	87310	1.6 x 8.0	175	7.0	125 x 37	
87306	1.0 x 5.5	125	5.0	87311	1.6 x 10.0	200	8.0	125 x 37	
87307	1.2 x 6.5	125	6.0						

86890 slotted cabinet / electrician's screwdrivers

to DIN 5264 and ISO 2380














ITEM NO.				ITEM NO.					
86893	0.8 x 4.0	125	4.0	86896	1.0 x 5.5	200	5.5	115 x 34	
86894	0.6 x 4.0	300	4.0	86897	1.0 x 5.5	300	5.5	115 x 34	
86895	1.0 x 5.5	150	5.5						

94900 PH screwdrivers

tip to ISO 8764 for PHILLIPS recess screws













ITEM NO.				ITEM NO.					
94902	PH1	80	4.5	94905	PH2	300	6.0	115 x 34	
94903	PH1	300	4.5	94906	PH3	150	8.0	125 x 37	
94904	PH2	100	6.0	94907	PH4	200	10.0	125 x 37	

99700 PZ screwdrivers








tip to ISO 8764 for POZIDRIV screws



ITEM NO.				ITEM NO.					
99702	PZ1	80	4.5	99705	PZ2	300	6.0	115 x 34	
99703	PZ1	300	4.5	99706	PZ3	150	8.0	125 x 37	
99704	PZ2	100	6.0	99707	PZ4	200	10.0	125 x 37	

99000 TORX® screwdrivers






ITEM NO.				ITEM NO.				
99006	T10	80	3.5	99010	T27	115	6.0	115 x 34
99007	T15	80	3.5	99011	T30	115	6.0	115 x 34
99008	T20	100	4.5	99012	T40	115	7.0	125 x 37
99009	T25	100	4.5	99013	T45	130	8.0	125 x 37

Sets of screwdrivers

6-pcs. set

Order no. 670060

ITEM NO.	Drive		ITEM NO.	Drive		ITEM NO.	Drive	
87305	●	1.0 x 5.5	87303	●	0.8 x 4.0	87303	●	0.8 x 4.0
87307	●	1.2 x 6.5	87305	●	1.0 x 5.5	87305	●	1.0 x 5.5
94902	●	PH1	87307	●	1.2 x 6.5	87307	●	1.2 x 6.5
94904	●	PH2	87309	●	1.2 x 8.0	87309	●	1.2 x 8.0
99702	●	PZ1	94902	●	PH1	99702	●	PZ1
99704	●	PZ2	94904	●	PH2	99704	●	PZ2

6-pcs. set

Order no. 670067

ITEM NO.	Drive		ITEM NO.	Drive		ITEM NO.	Drive	
99006	⊗	T10	87303	●	0.8 x 4.0	87303	●	0.8 x 4.0
99007	⊗	T15	87305	●	1.0 x 5.5	87305	●	1.0 x 5.5
99008	⊗	T20	87307	●	1.2 x 6.5	87307	●	1.2 x 6.5
99009	⊗	T25	94902	●	PH1	99702	●	PZ1
99011	⊗	T30	94904	●	PH2	99704	●	PZ2
99012	⊗	T40						

5-pcs. set

Order no. 670069


5-pcs. set

Order no. 670070



PRO

Impact



When things get really tough, the PRO Impact stays in control. Extremely stubborn screws can often be persuaded to move through a careful hammer blow to the steel cap. Since the PRO Impact's blade is a full-length, uninterrupted part, the energy imparted to the cap is transferred without loss to the head of the screw. The handle and blade are not damaged.

But that is not all: where additional torque is required, the PRO Impact has a hexagonal bolster and blade, so a spanner can be applied to increase the lever effect.

83800 slotted keystone / engineer's screwdrivers

to DIN 5264 and ISO 2380, hexagonal blade and
bolster dimensionally accurate to DIN 475



ITEM NO.	0.8 x 4.0 mm	1.0 x 5.5 mm	1.2 x 6.5 mm	1.6 x 10.0 mm	2.0 x 12.0 mm	2.5 x 14.0 mm	SHANK mm	ITEM NO.	0.8 x 4.0 mm	1.0 x 5.5 mm	1.2 x 6.5 mm	1.6 x 10.0 mm	2.0 x 12.0 mm	2.5 x 14.0 mm
83802	90	100	125	150	175	200	5.0	83802	90	100	125	150	175	200
83803	8.0	8.0	10.0	13.0	13.0	-	8.0	83803	8.0	8.0	10.0	13.0	13.0	-
83804	5.0	6.0	6.0	8.0	8.0	10.0	5.0	83804	5.0	6.0	6.0	8.0	8.0	10.0
83805	105 x 25	115 x 34	125 x 34	125 x 37	125 x 37	125 x 37	105 x 25	83805	105 x 25	115 x 34	125 x 34	125 x 37	125 x 37	125 x 37
83806	8.0	8.0	10.0	13.0	13.0	-	8.0	83806	8.0	8.0	10.0	13.0	13.0	-
83807	5.0	6.0	6.0	8.0	8.0	10.0	5.0	83807	5.0	6.0	6.0	8.0	8.0	10.0
83808	105 x 25	115 x 34	125 x 34	125 x 37	125 x 37	125 x 37	105 x 25	83808	105 x 25	115 x 34	125 x 34	125 x 37	125 x 37	125 x 37

83900 PH screwdrivers

to ISO 8764 for PHLLIPS recess screws, hexagonal blade and
bolster dimensionally accurate to DIN 475



ITEM NO.	PH 1 mm	PH 2 mm	PH 3 mm	SHANK mm	ITEM NO.	PH 1 mm	PH 2 mm	PH 3 mm	SHANK mm
83901	85	100	150	5.0	83901	85	100	150	5.0
83902	8.0	10.0	13.0	6.0	83902	8.0	10.0	13.0	6.0
83903	5.0	6.0	8.0	8.0	83903	5.0	6.0	8.0	8.0
	105 x 25	115 x 34	125 x 37			105 x 25	115 x 34	125 x 37	

84000 PZ screwdrivers

to ISO 8764 for POZIDRIV screws, hexagonal blade and
bolster dimensionally accurate to DIN 475



ITEM NO.	PZ 1 mm	PZ 2 mm	PZ 3 mm	SHANK mm	ITEM NO.	PZ 1 mm	PZ 2 mm	PZ 3 mm	SHANK mm
84001	85	100	150	5.0	84001	85	100	150	5.0
84002	8.0	10.0	13.0	6.0	84002	8.0	10.0	13.0	6.0
84003	5.0	6.0	8.0	8.0	84003	5.0	6.0	8.0	8.0
	105 x 25	115 x 34	125 x 37			105 x 25	115 x 34	125 x 37	

Sets of screwdrivers

6-pcs. set

Order no. 67/0094

6-pcs. set


Order no. 67/0095

ITEM NO.	Drive	0.8 x 4.0 mm	1.0 x 5.5 mm	1.2 x 6.5 mm	1.6 x 8.0 mm	2.0 x 12.0 mm	2.5 x 14.0 mm	SHANK mm	ITEM NO.	Drive	0.8 x 4.0 mm	1.0 x 5.5 mm	1.2 x 6.5 mm	1.6 x 8.0 mm	2.0 x 12.0 mm	2.5 x 14.0 mm
83902	PH 2	8	8	10	13	13	8	5.0	84002	PH 2	8	8	10	13	13	8
83903	PH 1	8	8	10	13	13	8	6.0	84001	PH 1	8	8	10	13	13	8
83904	PH 1	8	8	10	13	13	8	8.0	83902	PH 2	8	8	10	13	13	8
83905	PH 1	8	8	10	13	13	8	10.0	83903	PH 1	8	8	10	13	13	8
83901	PH 1	8	8	10	13	13	8	105 x 25	83904	PH 1	8	8	10	13	13	8
83902	PH 2	8	8	10	13	13	8	115 x 34	83905	PH 2	8	8	10	13	13	8
								125 x 34	84001							
								125 x 37	84002							




PRO

VDE screwdrivers



Individual testing in the dip tank: every single screwdriver is subjected to a high-voltage test in a water-filled dip tank. Even at 10,000 volts it must pass the dielectric strength test in order to receive VDE certification, which approves it for use on live components up to 1000 volts.









74050 slotted screwdrivers to ISO 2380

ITEM NO.				ITEM NO.					
74051	0.4 x 2.5	75	2.5	74055	1.0 x 5.5	125	5.5	115 x 34	
74052	0.5 x 3.0	100	3.0	74056	1.2 x 6.5	150	6.5	115 x 34	
74053	0.6 x 3.5	100	3.5	74057	1.2 x 8.0	175	8.0	125 x 37	
74054	0.8 x 4.0	100	4.0	74058	1.6 x 10.0	200	10.0	125 x 37	



74060 PH screwdrivers

tip to ISO 8764 for PHILLIPS recess screws

ITEM NO.				ITEM NO.					
74061	PH 0	60	3.0	74064	PH 3	150	8.0	125 x 37	
74062	PH 1	80	4.5	74065	PH 4	200	10.0	125 x 37	
74063	PH 2	100	6.0						



74080 MODUL PH screwdrivers

for +/- screws in electrical installations

ITEM NO.				ITEM NO.					
74081	PH 1 / MODUL	80	4.5	74082	PH 2 / MODUL	100	6.0	115 x 34	



74070 PZ screwdrivers

tip to ISO 8764 for POZIDRIV screws

ITEM NO.				ITEM NO.					
74071	PZ 0	60	3.0	74074	PZ 3	150	8.0	125 x 37	
74072	PZ 1	80	4.5	74075	PZ 4	200	10.0	125 x 37	
74073	PZ 2	100	6.0						











74090 MODUL PZ screwdrivers

for +/- screws in electrical installations

ITEM NO.				ITEM NO.					
74091	PZ 1 / MODUL	80	4.5	74092	PZ 2 / MODUL	100	6.0	115 x 34	











74080 TORX® screwdrivers

ITEM NO.				ITEM NO.					
74083	T 8	60	3.0	74087	T 20	100	4.0	105 x 25	
74084	T 9	60	3.0	74088	T 25	100	4.5	105 x 25	
74085	T 10	60	3.0	74089	T 30	100	6.0	105 x 25	
74086	T 15	75	3.5						



74180 nutdrivers

ITEM NO.				ITEM NO.					
74181	6	125	5.0	74185	10	125	6.0	115 x 34	
74182	7	125	6.0	74186	11	125	8.0	125 x 37	
74183	8	125	6.0	74187	12	125	8.0	125 x 37	
74184	9	125	6.0	74188	13	125	8.0	125 x 37	




Sets of screwdrivers

6-pcs. set

Order no. 670022

6-pcs. set

Order no. 670023



ITEM NO.	Drive		ITEM NO.	Drive	
74051	●	0.4 x 2.5	74051	●	0.4 x 2.5
74054	●	0.8 x 4.0	74054	●	0.8 x 4.0
74055	●	1.0 x 5.5	74055	●	1.0 x 5.5
74062	●	1.2 x 8.5	74072	●	1.2 x 8.5
74063	●	PH 1	74073	●	PZ 1
	●	PH 2		●	PZ 2

5-pcs. set

Order no. 670024

5-pcs. set


Order no. 670025

ITEM NO.	Drive		ITEM NO.	Drive	
74051	●	0.4 x 2.5	74051	●	0.4 x 2.5
74054	●	0.8 x 4.0	74054	●	0.8 x 4.0
74055	●	1.0 x 5.5	74055	●	1.0 x 5.5
74062	●	PH 1	74072	●	PZ 1
74063	●	PH 2	74073	●	PZ 2



PRO

VDE slim








WITTE's Slim screwdriver variants are designed for use in awkward spots. The reduced shank diameter, coupled with the insulation that tapers down to blend seamlessly with the slim-line tip, ensures maximum access to screws that are often almost impossible to reach. By using the PRO VDE slim tools, recessed screws and springs in live components can easily and safely be operated.

The rounded triangular form guarantees excellent force transmission thanks to the easy-to-grip soft zone and the roll protection section in the quality you expect of WITTE.

76010 screwdrivers

to ISO 2380






ITEM NO.				ITEM NO.			
76012	0.5 x 3.0	100	3.0	76015	1.0 x 5.5	125	5.5
76014	0.8 x 4.0	100	4.0	76016	1.2 x 6.5	150	6.5
76017	0.8 x 4.5	175	4.5				115 x 34

76020 PH screwdrivers

tip to ISO 8764 for PHILLIPS® recess screwdrivers






ITEM NO.			
76022	PH1	90	105 x 25
76023	PH2	100	115 x 34

76020 MODUL PH screwdrivers

for +/- screws in electrical installations






ITEM NO.			
76025	PH1 / MODUL	90	105 x 25
76026	PH2 / MODUL	100	115 x 34

76030 PZ screwdrivers

tip to ISO 8764 for POZIDRIV® screws






ITEM NO.			
76032	PZ1	90	105 x 25
76033	PZ2	100	115 x 34

76030 MODUL PZ screwdrivers

for +/- screws in electrical installations



ITEM NO.			
76035	PZ1 / MODUL	90	105 x 25
76036	PZ2 / MODUL	100	115 x 34



Sets of screwdrivers

5-pcs. set

Order no. 670080

5-pcs. set

Order no. 670081



ITEM NO.	Drive		ITEM NO.	Drive	
76012	●●●●●	0.5 x 3.0	76012	●●●●●	0.5 x 3.0
76014	●●●●●	0.8 x 4.0	76014	●●●●●	0.8 x 4.0
76015	●●●●●	1.0 x 5.5	76015	●●●●●	1.0 x 5.5
76022	●●●●●	PH1	76032	●●●●●	PZ1
76023	●●●●●	PH2	76033	●●●●●	PZ2


6-pcs. set

Order no. 670082

6-pcs. set

Order no. 670083

ITEM NO.	Drive		ITEM NO.	Drive	
76012	●●●●●	0.5 x 3.0	76012	●●●●●	0.5 x 3.0
76014	●●●●●	0.8 x 4.0	76014	●●●●●	0.8 x 4.0
76015	●●●●●	1.0 x 5.5	76015	●●●●●	1.0 x 5.5
76022	●●●●●	1.2 x 6.5	76032	●●●●●	1.2 x 6.5
76023	●●●●●	PH1	76032	●●●●●	PZ1
		PH2	76033	●●●●●	PZ2



PRO

BITDRIVE®



Integrated bit storage
The magnetic mechanism holds the bits in place to make it easier for you to pick the one you need.



Convenient magnetic holder
For attaching small metallic components.



One-hand release mechanism



Soft component

Roll protection

Quick-change bit holder



With the WITTE PRO BITDRIVE® you really have everything at your fingertips. Apart from the ergonomically designed grip that allows you to transmit even higher torques, the new PRO BITDRIVE® incorporates a magazine containing six bits in the handle end. The whole construction is, of course, in the proven WITTE PRO design. Ergonomic handling can be this convenient.



One-hand release mechanism
Easy opening of the bit storage with only one finger.



Fast access
The magnetic mechanism holds the bits in a petal-like arrangement to make it easier for you to pick the one you need.



Convenient magnetic holder
For attaching small metallic components.



Simple replacement
The magnetic mechanism holds the bits in place to make it easier for you to replace the one you've used.

468023PRO BITDRIVE® screwdriver
Screwdriver with 6 bits, individually packed in a transparent box with a hanging hole



Qty	ITEM NO.	Drive	mm	1/4" drive
1	27020	PH1	25	C6.3
1	27021	PH2	25	C6.3
1	27022	PH3	25	C6.3
1	27045	PZ1	25	C6.3
1	27046	PZ2	25	C6.3
1	27047	PZ3	25	C6.3

468024PRO BITDRIVE® screwdriver

Screwdriver with 6 bits, individually packed in a transparent box with a hanging hole



Qty	ITEM NO.	Drive	mm	1/4" drive
1	29503	T10	25	C6.3
1	29504	T15	25	C6.3
1	29505	T20	25	C6.3
1	29506	T25	25	C6.3
1	29508	T30	25	C6.3
1	29509	T40	25	C6.3

PRO

BITDRIVE® RATCHET



Integrated bit storage
The magnetic mechanism holds the bits in place to make it easier for you to pick the one you need.



Convenient magnetic holder
For attaching small metallic components.




One-hand release mechanism

Roll protection



Soft component

High-quality metal ratchet



Quick-change bit holder

The BITDRIVE® RATCHET has all the benefits of the PRO BITDRIVE® - supplemented with the handy ratchet function. For even more efficient tightening and loosening.

BITDRIVE® RATCHET




One-hand release mechanism
Easy opening of the bit storage with only one finger.



Fast access
The magnetic mechanism holds the bits in a petal-like arrangement to make it easier for you to pick the one you need.



Convenient magnetic holder
For attaching small metallic components.



Simple replacement
The magnetic mechanism holds the bits in place to make it easier for you to replace the one you've used.



High-quality metal ratchet
With locked, anticlockwise and clockwise functions. For even more efficient tightening and loosening.

468021 PRO BITDRIVE® RATCHET screwdriver

Screwdriver with 6 bits and a metal ratchet, individually packed in a transparent box with a hanging hole



Qty	ITEM NO.	Drive	mm	1/4" drive
1	27020	PH1	25	CS.3
1	27021	PH2	25	CS.3
1	27022	PH3	25	CS.3
1	27046	PZ1	25	CS.3
1	27048	PZ2	25	CS.3
1	27047	PZ3	25	CS.3



468022 PRO BITDRIVE® RATCHET screwdriver

Screwdriver with 6 bits and a metal ratchet, individually packed in a transparent box with a hanging hole



Qty	ITEM NO.	Drive	mm	1/4" drive
1	29503	T10	25	CS.3
1	29504	T15	25	CS.3
1	29505	T20	25	CS.3
1	29506	T25	25	CS.3
1	29508	T30	25	CS.3
1	29509	T40	25	CS.3

